

# Oracle Database 10g: The Database for the Grid

*An Oracle White Paper  
January 2005*

# Oracle Database 10g: The Database for the Grid

Executive Overview.....	3
Introduction.....	3
Trends Promoting Grid Computing .....	4
Hardware Trends.....	4
Virtualization .....	4
Software Trends.....	5
Grid Momentum.....	5
Fundamental Attributes of the Grid .....	5
Virtualization at Every Layer .....	6
Policy-Based Provisioning.....	6
Resource Pooling .....	6
Oracle Database 10G: The Database for The Grid.....	6
Configuring and Installing Oracle Database 10G on Standard-based Components .....	7
Automatic Storage Management.....	7
Portable Clusterware.....	7
High-speed InfiniBand Network Support .....	8
Easy Client Install.....	8
Easy Oracle Database Install .....	8
Compute Resource Provisioning .....	8
Real Application Clusters (RAC) .....	9
Oracle Scheduler.....	9
Database Resource Manager.....	10
Information Provisioning.....	10
Ultra Large Database Support.....	11
Oracle Transportable Tablespaces .....	11
Oracle Streams .....	11
Self-propelled Database .....	12
Oracle Data Pump.....	12
Distributed SQL, Gateways, and Distributed Transactions.....	12
Operational Benefits .....	13
Self-Reliant Database .....	13
Oracle Enterprise Manager Grid Control.....	14
Managing Security in the Grid.....	15
Positioning for the Future .....	16
Product Directions Aligned with Grid .....	16
Grid Standards Support.....	16
Conclusion .....	16

# Oracle Database 10g: The Database for the Grid

## **EXECUTIVE OVERVIEW**

Grid computing is poised to drastically change the economics of computing. Grid computing can dramatically lower the cost of computing, extend the availability of computing resources, increase productivity, and improve quality.

The basic idea of grid computing is the notion of computing as a utility, analogous to the electric power grid or the telephone network. As a client of the grid, you do not care where your data is or where your computation is done. You want to have your computation done and to have your information delivered to you when you want it. From the server-side, the grid is about virtualization and provisioning. You pool all your resources together and provision these resources dynamically based on the needs of your business; thus achieving better resource utilization at the same time.

This paper describes the fundamental attributes of a grid, and the trends in the IT industry that are moving enterprises towards grid computing. It then examines the functionality available in Oracle Database 10g that leverages these trends, and makes grid computing a reality, today.

## **INTRODUCTION**

Today's mantra for computing is affordability. Enterprises are looking at ways to reduce costs and increase efficiency of their processes and systems. Grid computing offers exactly that. Grid computing increases the efficiency of enterprise resources by offering a way to pool your hardware for processing and eliminate islands of underutilized computers. You can create centralized pools of computing resources and dynamically allocate these computing resources to the priorities of your organization.

At the highest level, the central idea of grid computing is computing as a utility. You shouldn't care where your data resides, or which computer processes your request. You should be able to request information or computation and have it delivered – as much as you want, and whenever you want. This is analogous to how electric utilities work, in that you don't know where the generator is, or how the electric grid is wired. You just ask for electricity, and you get it. The goal is to make computing a utility—a commodity, and ubiquitous. Hence it has the name, grid computing.

This view of utility computing is, of course, a client side view. From the server side, or behind the scenes, grid computing is about resource allocation, information sharing, and high availability. Resource allocation ensures that all those that need or request resources are getting what they need. Resources are not standing idle while requests are going unserved. Information sharing makes sure that the information users and applications need is available where and when it is needed. High availability ensures that all the data and computation must always be there—just as a utility company must always provide electric power.

Grid computing transforms the way enterprises use resources. It virtualizes the use of enterprise resources across servers in a data center, across data centers in an enterprise, and across enterprises.

## **TRENDS PROMOTING GRID COMPUTING**

Numerous trends in the IT industry are moving enterprises towards grid computing.

### **Hardware Trends**

Much of what makes grid computing possible today are the innovations surrounding hardware. For example,

- **Processors:** New low-cost, high-volume Intel Itanium 2, Sun SPARC, and IBM PowerPC 64-bit processors now deliver performance equal to or better than processors used in high-end SMP servers.
- **Servers:** Blade server technology reduces the cost of hardware and increases the density of servers, which further reduces expensive data center requirements. These blade servers also come with remote management capabilities that make it easy for data center administrators to manage these systems. Data centers have started to leverage these technologies.
- **Networked storage:** Network Attached Storage (NAS) and Storage Area Networks (SANs) enable sharing of storage across systems.
- **Network Interconnects:** Gigabit Ethernet and Infiniband interconnect technologies are driving down the cost of connecting clusters of servers.

### **Virtualization**

Virtualization is the abstraction into a service of every physical and logical entity in a grid. Virtualization is important because it enables grid components (such as storage, processors, databases, application servers, and applications) to integrate tightly without creating rigidity in the system.

For example, vendors such as Sun, HP, IBM, and Topspin are starting to deliver hardware virtualization and provisioning technologies. These technologies allow you to dynamically group and network a set of servers and storage components. You can also dynamically move servers and storage components from one group to another. Some of these technologies also allow dynamic loading and starting of the OS and applications on these servers.

#### **Software Trends**

Linux runs very well on small computers (one to four CPUs) and provides the best price for performance, making it ideal for a grid environment.

Linux continues to grow faster than any other OS. The economic advantage of blades over SMP will cause blades to dominate in grid environments. Because Linux already works well for blades, this will accelerate Linux growth. Because Linux has a price advantage, which becomes even more important as the number of blades grows, Linux adoption will further accelerate. Clusters of standard, low-cost blades naturally go well with Linux, the standard inexpensive OS.

Hardware innovations can only be useful when the software running on them can leverage those innovations. Software has started to leverage these hardware innovations. One issue with software today is that it is designed to use the resources it is provisioned, but it is not designed to give up resources it no longer needs. Oracle provides software today – both Oracle Database and Oracle Application Server – that leverage these hardware innovations. Oracle Database and Oracle Application Server can utilize the resources they are provisioned and can easily relinquish resources they no longer need.

#### **Grid Momentum**

In the technology industry, grid momentum is building. Major vendors, such as Oracle, are already offering grid-enabling technology, and many others are preparing to. The grid standards body, GGF, is in place and has the support of major technology vendors. In addition, major vendors and enterprise customers have formed the Enterprise Grid Alliance, a group to promote grid computing within the enterprise.

In IT organizations, grid momentum is also building. Grid technologies promise increased utilization of existing hardware. Grids let you allocate your resources to meet the needs of your business, instead of having islands of computing that are idle or overloaded. As existing hardware needs to be replaced, blades offer the lowest cost. The economics are so compelling, enterprises have already started leveraging blade servers for grid computing.

#### **FUNDAMENTAL ATTRIBUTES OF THE GRID**

All grids exhibit certain fundamental attributes. Enterprises can begin reaping the benefits of grid computing by enhancing existing IT infrastructure with these attributes.

### **Virtualization at Every Layer**

Virtualization enables grid components such as storage, processors, databases, application servers, and applications to work together without creating rigidity and brittleness in the system. Rather than making static ties that determine where a database physically locates its data or which exact server the database runs on, virtualization enables each component of the grid to react to changing circumstances more quickly and to adapt to component failures without compromising performance of the system as a whole.

### **Policy-Based Provisioning**

Provisioning means allocating resources where they are needed. Once the resources are virtualized, resources need to be dynamically allocated for various enterprise tasks based on the changing business priorities. In the context of hardware resources, hardware resources such as storage and servers need to be allocated to databases and application servers. In the context of data, data needs to be allocated to where it is needed.

### **Resource Pooling**

Consolidation and pooling of resources is required for grids to achieve better utilization of resources, a key contributor to lower costs. By pooling individual disks into storage arrays and individual servers into blade farms, the grid runtime processes that dynamically couple service consumers to service providers have more flexibility to optimize the associations.

## **ORACLE DATABASE 10G: THE DATABASE FOR THE GRID**

Oracle Database 10g provides the first complete, integrated software infrastructure to power grid computing. Oracle Database 10g leverages the grid-enabling hardware innovations and has made it easy for you to install and configure the Oracle database on these standardized modular hardware components.

Oracle Database 10g, both as the consumer of grid resources – servers and storage – and as a provider of data, leverages the three fundamental attributes of grid computing. Oracle Database 10g virtualizes the way the Oracle database uses the hardware components – storage and servers. It automatically provisions clustered storage and servers to different databases running in your grid. As a provider of data, Oracle Database 10g provides technologies with which database administrators can pool, virtualize, and provision data to grid users and applications.

In addition, an enterprise running on the grid imposes stringent operational requirements in terms of security, high availability, self-reliance, and manageability. Oracle Database 10g offers unrivaled operational benefits that simplify the management and operations of your grid.

## **Configuring and Installing Oracle Database 10g on Standard-based Components**

Oracle Database 10g makes it easy for you to run your database on a grid running on standard low-cost modular hardware components — storage, blades, and interconnects.

### **Automatic Storage Management**

Automatic Storage Management simplifies storage management for Oracle Databases. By abstracting the details of storage management, Oracle improves data access performance through sophisticated data provisioning, without requiring additional work from DBAs. Instead of managing many database files, Oracle DBAs manage only a small number of disk groups. A disk group is a set of disk devices that Oracle manages as a single, logical unit. An administrator can define a particular disk group as the default disk group for a database, and Oracle automatically allocates storage for and creates or deletes the files associated with the database object.

Automatic Storage Management also offers the benefits of storage technologies such as RAID or Logical Volume Managers (LVMs). Oracle can balance I/O from multiple databases across all of the devices in a disk group, and it implements striping and mirroring to improve I/O performance and data reliability. In addition, Oracle can reassign disks from node to node and cluster to cluster, automatically reconfiguring the group. Because Automatic Storage Management is written to work exclusively with Oracle, it achieves better performance than generalized storage virtualization solutions.

### **Portable Clusterware**

Clusterware is the software that provides clustering services for communication between servers in a cluster. New integrated clusterware in Oracle Database 10g makes clustering easy by eliminating the need to purchase, install, configure, and support third-party clusterware. There are no vendor-imposed limits on the size of a cluster. Servers can be easily added and dropped to an Oracle cluster with no downtime.

Oracle has also made it easy for you install the portable clusterware. With a single install, you identify the nodes where you would like to install the portable clusterware and Oracle Universal Installer will install portable clusterware on all those nodes.

Oracle has the only database technology to include clusterware for all operating systems, which dramatically reduces the opportunities for failure in a clustered environment.

### **High-speed InfiniBand Network Support**

Oracle Database 10g has enhancements to provide you with better performance and scalability with upcoming high-speed interconnects such as Infiniband. You can use Infiniband for all network communications. It offers many benefits:

- Infiniband offers a tremendous performance improvement over Gigabit Ethernet networks. The low latency and high-bandwidth of Infiniband makes it especially useful as a cluster interconnect.
- You use a single network infrastructure for your communication between different servers and between servers and storage. This simplifies the cabling requirements of your data center.
- With simplified network infrastructure, you use a single network backplane, which makes network provisioning easier.
- With Oracle Database 10g, you can now use Infiniband for your application server to database server communication, for server-to-server communication in a clustered database, and for server to storage communication. This provides you with all around performance improvement and flexibility in your data center.

### **Easy Client Install**

The easy client install feature simplifies deployment of applications in a grid. Clients of the database only need to download or copy a very small subset of Oracle client files and set an environment variable. These applications – OCI or JDBC applications – can access a database on your grid. You no longer need to go through the install process on the database client. This feature is especially useful for deployment of ISV applications. ISVs can include these Oracle client files in their install process and customers need not install Oracle clients separately. Additionally, in grid environments where client machines are dynamically identified and configured, this feature simplifies the installation and configuration of Oracle client software.

### **Easy Oracle Database Install**

Oracle Database 10g has simplified the installation of the Oracle database. You can install the Oracle database with a single CD. Oracle Universal Installer (OUI) can also perform multi-node installs of the clustered Oracle database. During the install, you identify the hostnames where you would like to install the Oracle database. OUI then installs the Oracle Database software on all of those nodes. You can also decide to have either a single shared image of the software or a separate image on each host machine.

### **Compute Resource Provisioning**

The tenet of grid computing is the ability to dynamically align resources to your changing priorities. Oracle Database 10g has numerous enhancements and new

features that make it easy for you to align your computing resources with your business needs.

### **Real Application Clusters (RAC)**

Oracle Real Application Clusters (RAC) enables high utilization of a cluster of standard low-cost modular servers such as blades. You can run a single Oracle database on a cluster of blade servers. Applications running on RAC can dynamically leverage more blades provisioned to them. Similarly, these applications can easily relinquish these blades when they no longer need them. Conversely, commodity databases have remarkably low utilization on commodity components. On the commodity databases, you need to allocate for peak loads and allocate spares. You cannot add and remove blades to the commodity databases without bringing down the entire system.

RAC, based on shared disk architecture, can grow and shrink on demand. This is not possible with databases from other vendors as they are based on shared nothing architecture, which does not offer this flexibility. With shared nothing, data is partitioned artificially. When more blades are added, all the data needs to be repartitioned to allocate data to the new blades. Similarly, when blades need to be taken off, data needs to be repartitioned before taking off the blades.

Oracle Database 10g offers automatic workload management for services within a RAC database. RAC automatically load balances connections as they are made across instances hosting a service. In addition, using Resource Manager, you can specify policies for resource allocation to services running within a RAC database. To meet these policies, RAC will automatically provision database instances to these services.

Oracle Database 10g also offers a single-button addition and removal of servers to a cluster. With a push of a button, you can now add a server to your cluster and provision this server to the database. Oracle database will automatically install all the required software – Portable Clusterware and Oracle Database software – and start an Oracle database instance on it. Similarly, with the push of a button, you can remove a server.

### **Oracle Scheduler**

Oracle Database 10g introduces Oracle Scheduler, which provides you with many advanced capabilities to schedule and perform business and IT tasks in your grid. You can provision your workload within a database across time to get more efficient resource utilization. First, you define your jobs, which can be stored procedures or external jobs such as C or Java programs. Next, you define your schedule. Then you assign jobs to schedules. You have the ability to define any arbitrarily complex schedule. You can also group jobs into job classes to simplify management and prioritization of jobs. Using Oracle Resource Manager, you can define your resource plans and assign these resource plans to these job classes. You can also change these resource plans across time. For

example, you may consider the jobs to load a data warehouse to be critical jobs during non-peak hours but not during peak hours.

### **Database Resource Manager**

Resource Manager provisions resources to database users, applications, or services within an Oracle database. It allows database administrators to limit the Oracle database resources allocated to grid users, applications, or services. This ensures each grid user, application, or service gets a fair share of the available computing resources. Administrators define resource plans that allocate resources to various consumer groups based on resource usage criteria such as CPU utilization or number of active sessions. Each consumer group comprises one or more database users. Oracle Database 10g provides additional mappings for consumer groups based on user host machine, application, OS username or service.

### **Information Provisioning**

In addition to the provisioning of work across multiple nodes and the provisioning of data across multiple disks, another type of provisioning happens within Oracle Database 10g—the provisioning of information itself. Information provisioning means getting information delivered to users when they need it, regardless of where it resides on a grid. To process information on any available resource, a grid must efficiently make information available across distributed systems. There are essentially three ways to do this: consolidate, share, and federate information.

Consolidating information in a single database makes it easy to provision information. You use a single pool of resources where you run your database. This allows for more efficient resource utilization. Since the database resources are pooled together, it does not happen that one database is melting down while the other one is sitting idle. It provides easy provisioning. You can now use Oracle Resource Manager to efficiently provision Oracle database resources to various users and applications that are running on this database.

If you cannot pool your resources and cannot consolidate your information in a single database, you can share information to get more efficient resource utilization. Oracle Database 10g features such as Oracle Transportable Tablespaces and Oracle Streams make it easy for you to efficiently share data between different databases to share processing of information across different resources.

For certain information, for example a terabyte database, that is infrequently accessed, it is more efficient to leave it in place. For this information, you can use Oracle Database 10g's federated features such as distributed SQL, gateways, and materialized views to get access to that data on demand.

### **Ultra Large Database Support**

Oracle Database 10g now supports a single database with up to 8 exabytes (8 million terabytes) of data. This virtually removes a limit on how large your consolidated database can be. You can also store data in much larger files, thus decreasing the number of files in large databases. Additionally, the Bigfile Tablespace simplifies the management of datafiles in large databases, minimizes scalability issues related to having a large number of datafiles, and simplifies management of storage utilizing such features as Automatic Storage Management and Oracle Managed Files.

### **Oracle Transportable Tablespaces**

It is not always possible to pool your hardware resources together. For example, you might have geographically distributed hardware resources that you cannot cluster efficiently. Or your data center limitations may prevent you from pooling the hardware together. In these situations, Oracle Transportable Tablespaces offers a very efficient way of sharing large subsets of data and then sharing processing on this data on different hardware resources.

Oracle Transportable Tablespaces offer grid users an extremely fast mechanism to move a subset of data from one Oracle database to another. It allows a set of tablespaces to be unplugged from a database, moved or copied to another location, and then plugged into another database. Unplugging or plugging a data file involves only reading or loading a small amount of metadata. Transportable Tablespaces also supports simultaneous mounting of read-only tablespaces by two or more databases.

Oracle Database 10g now supports heterogeneous transportable tablespaces. This feature allows tablespaces to be unplugged, converted with RMAN if need be, and transported across different platforms, for example, from Solaris or HP/UX to Linux.

For example, consider a financial application at a typical enterprise. It is very light during normal time, with a couple of inserts or updates every hour. But during quarter end, it needs considerably more resources for reporting. To accommodate these increased demands, you could use the transportable tablespace feature to move the data to a more powerful resource during quarter end, and perform your processing there.

### **Oracle Streams**

Some data needs to be shared as it is created or changed, rather than occasionally shared in bulk. Oracle Streams can stream data between databases, nodes or blade farms in a grid, and can keep two or more copies in sync as updates are applied. It also provides a unified framework for information sharing, combining message queuing, replication, events, data warehouse loading, notifications and publish/subscribe into a single technology.

If you take the example above, once you are done with reporting, either you can throw away the database or use Oracle Streams to keep the two databases in sync so that you can do next quarter's reporting again using the second database. For this purpose, you can define a schedule that fits your needs for synchronization. As an example, you can synchronize every midnight or sync as the changes are happening.

#### **Self-propelled Database**

Oracle Database 10g offers a new self-propelled database feature. This feature utilizes Oracle Transportable Tablespaces and Oracle Streams and offers you an easy way to share processing across distributed hardware resources. In addition, it offers an efficient way for migrating your applications to the grid.

With a single command, you can snap a set of tablespaces from one database, ship the tablespace to another database, reformat the tablespace if the second database is on a different OS, and plug this tablespace into the second database. During this time, there might be changes happening at the first database. Oracle Streams would have already started capturing those changes and these changes are synced with the second database. All of this is done with a single command. If the second database is on a grid, what you have just done is migrate your application to a grid with a single command. You can later migrate all the applications running on the first database to the second database by simply repointing the connection string to the second database.

#### **Oracle Data Pump**

With Oracle Database 10g, Oracle introduces a new data movement facility that greatly improves performance when getting data into and out of a database. Oracle Data Pump is a high-speed, parallel infrastructure that enables quick movement of data and metadata from one database to another. This technology is the basis for Oracle's new data movement utilities, Data Pump Export and Data Pump Import, which have greatly enhanced performance over Oracle's original Export and Import.

When moving a transportable tablespace, Data Pump Export and Import are used to handle the extraction and recreation of the metadata for that tablespace. Data Pump is a flexible and fast way to unload entire databases or subsets of databases, and reload them on the target platform.

#### **Distributed SQL, Gateways, and Distributed Transactions**

It is not always possible to either consolidate or share information. The limitations of the data centers or geographical distribution of resources may prevent you from doing so. It may also be because of security issues. You may not want the entire data set to be visible to the users on the second database. Or it may not be efficient to move the data – for example, you might have a one-terabyte data set that is infrequently accessed. Oracle Database 10g offers an

extremely strong federated technology that helps you in those situations. With these technologies, you can leave data in place and access this data on demand.

Oracle Distributed SQL allows grid users to efficiently access and integrate data stored in multiple Oracle and non-Oracle databases. Gateways provide transparent remote data access with Distributed SQL to grid users to run their applications against any other database without making any code change to the applications. While integrating data and managing transactions across multiple data stores, the Oracle database intelligently optimizes the execution plans to access data in the most efficient manner. Oracle XA capability allows grid users to coordinate distributed transactions across multiple resources such as legacy applications and third-party application systems.

In addition, Oracle Database 10g also offers external tables and Bfiles features, that let you keep your data on the file system while providing access to grid users via Oracle database APIs. External tables provide you with SQL access to structured data in the files. Bfiles provides read-only access to the unstructured data in the files.

### **Operational Benefits**

The dynamic nature of the grid imposes stringent operational requirements on your grid infrastructure. You would want the grid infrastructure to be self-reliant – it should be able to tolerate system failures and adapt to changing business needs. You would like to be able to control your grid environment in a more holistic manner rather than on a component-by-component basis. Lastly security is paramount in grid environments – you would not like any unwanted exposure of your data and resources.

#### **Self-Reliant Database**

A truly responsive enterprise requires the grid infrastructure to self-manage, and to learn and adapt to changing circumstances. Your grid infrastructure needs to be able to tolerate the failures of individual components and to provide high availability in all circumstances.

#### **High Availability**

Oracle Database 10g brings the highest levels of reliability and availability to the grid. You get the same levels of reliability and availability on standard, low-cost modular hardware – servers and storage. Acknowledging that failures will happen, Oracle Database 10g provides near instantaneous recovery from system faults, meeting the most stringent service level agreements. ASM provides the reliability and availability on low-cost standard storage. RAC provides the reliability and availability on low-cost standard servers.

Oracle Database 10g provides robust features to protect from data errors and disasters. The new flashback database feature provides the ability to recover a database to a specific time to recover from human error. The recovery time is

proportional to the time duration it needs to go back to. With this flash backup feature, database administrators can now use low-cost standard disks for maintaining their backups.

Oracle Database 10g also includes tools to minimize planned downtime, critical for any interactions in a 24x7 environment. The new rolling upgrade feature enables online application of patches to the database software. You don't need to bring down the entire database to apply a patch. You can apply patches to the clustered database – one instance at a time--thus keeping the database online while applying the patch.

### ***Self-Managing***

With the new self-managing features, Oracle Database 10g has taken a giant leap towards making the Oracle database self-reliant. Oracle Database 10g includes an intelligent database monitor that records data regarding all aspects of database performance. Using this information, Oracle Database Automatic Memory Management dynamically allocates memory to different components of the Oracle database. Automatic health management automatically generates alerts regarding various aspects of the database that simplify database monitoring for DBAs. Automatic storage management, covered previously in this paper, provides automatic rebalancing and provisioning of storage.

### **Oracle Enterprise Manager Grid Control**

Even with the self-managing Oracle Database 10g, there are aspects of the enterprise grid that administrators will want to manage and control. Oracle Enterprise Manager Grid Control provides a single tool that can monitor and manage not only every Oracle software element – Oracle Application Server 10g and Oracle Database 10g – in your grid but also web applications via APM (Application Performance Management), hosts, storage devices, and server load balancers. It is also extensible via an SDK so customers can use it to monitor additional components that are not supported out-of-box.

Grid Control provides a simplified, centralized management framework for managing enterprise resources and analyzing a grid's performance. With Grid Control, grid administrators can manage the complete grid environment through a web browser throughout the whole system's software lifecycle, front-to-back, from any location on the network.

With Grid Control, administrators can launch and execute any number of integrated Oracle database features such as Data Pump, Resource Manager, Scheduler, Transportable Tablespaces, etc. Administrators can also monitor, diagnose, modify, and tune multiple databases throughout the grid.

Grid Control views the availability and performance of the grid infrastructure as a unified whole rather than as isolated storage units, databases, and application servers. IT staff can group hardware nodes, databases, and application servers

into single logical entities and manage a group of targets as one unit. Administrators can also schedule tasks on multiple systems at varying time intervals, share tasks with other administrators, and group related services together to facilitate administration.

By executing jobs, enforcing standard policies, monitoring performance and automating many other tasks across a group of targets instead of on many systems individually, Grid Control enables IT staff to scale with a growing grid. Because of this feature, the existence of many small computers in a grid infrastructure does not increase management complexity.

### **Managing Security in the Grid**

The dynamic nature of the grid makes security extremely important. Enterprises need to ensure that their data is secure. Exactly the right set of users must have access to the right set of data. At the same time, they need an easy way to manage security throughout their enterprise. Oracle Database 10g makes it easy for enterprises to manage their security needs in the grid.

#### ***Enterprise User Security***

Enterprise User Security centralizes the management of user credentials and privileges in a directory. This avoids the need to create the same user in multiple databases across a grid. A directory-based user can authenticate and access all the databases that are within an enterprise domain based on the credentials and privileges specified in the directory.

With Oracle Database 10g, grid users have the ability to store an SSL Certificate in a smart card, for roaming access to the grid. Oracle Database 10g also comes with Oracle Certificate Authority that simplifies provisioning of certificates to grid users.

#### ***Virtual Private Database (VPD)***

VPD provides server-enforced, fine-grained access control, and a secure application context that can be used within a grid setting to enable multiple customers, partners, or departments utilizing the same database to have secure access to mission-critical data. VPD enables per-user and per-customer data access within a single database, with the assurance of physical data separation. VPD is enabled by associating one or more security policies with tables and views and now, in Oracle Database 10g, with table columns.

#### ***Oracle Label Security***

Oracle Label Security gives administrators an out-of-the-box row—and now column-level—security solution for controlling access to data based on its sensitivity, eliminating the need to manually write such policies. Using the GUI tool Oracle Policy Manager, administrators have the ability to quickly create and assign Oracle Label Security policies to rows and columns within application

tables. Moreover, Oracle Database 10g adds integration of Oracle Label Security with Oracle Internet Directory (OID), allowing policies to be managed centrally within a dynamically changing grid setting.

## **POSITIONING FOR THE FUTURE**

Grid technologies are evolving rapidly. Oracle assures the cost conscious enterprises that their investments in Oracle today will be leveraged for future grid technologies. Oracle possesses the right architecture and has its product directions fully aligned to deliver future grid computing technologies.

### **Product Directions Aligned with Grid**

Oracle product directions are aligned with the grid. Oracle Database 10g is the first database designed for the grid. Oracle already supports more grid computing technology than any of its competitors, as described in the previous sections. Your investments in Oracle are well leveraged – you can incrementally adopt additional grid computing technology as Oracle expands its technology stack.

### **Grid Standards Support**

Oracle is committed to supporting industry standards. Oracle is working with the Global Grid Forum and Enterprise Grid Alliance to help define grid standards. Just as Oracle has supported in its products, and is helping other standards, such as J2EE, Web Services, Xquery, and SQL, Oracle intends to fully support grid standards. Often, the work of various standards bodies overlap or various standards bodies develop complementary technologies. By investing in Oracle Database 10g, you can leverage complementary standards and interoperate with various standards and technologies.

## **CONCLUSION**

Grid computing is poised to change the economics of computing. New innovations and new economics in hardware, make grid computing possible and sensible at the hardware layer today. Only Oracle Database 10g leverages these hardware innovations and implements the fundamental attributes of grid computing. Only Oracle Database 10g with its strong security, self-reliance, and manageability offerings addresses the stringent operational needs of enterprise grids. With Oracle Database 10g, you can realize grid benefits today and leverage your investments in Oracle for future grid computing technologies.



Oracle Database 10g: The Database for the Grid  
January 2005

Author: Brajesh Goyal, Bob Thome

Contributing Authors: Maria Pratt

Oracle Corporation

World Headquarters

500 Oracle Parkway

Redwood Shores, CA 94065

U.S.A.

Worldwide Inquiries:

Phone: +1.650.506.7000

Fax: +1.650.506.7200

[www.oracle.com](http://www.oracle.com)

Oracle Corporation provides the software  
that powers the internet.

Oracle is a registered trademark of Oracle Corporation. Various  
product and service names referenced herein may be trademarks  
of Oracle Corporation. All other product and service names  
mentioned may be trademarks of their respective owners.

Copyright © 2003 Oracle Corporation

All rights reserved.